

Material Name: CLEAN HARBORS METHYL ALCOHOL

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CLEAN HARBORS METHYL ALCOHOL

Product Code

HEBRON

Product Use

Solvent, methanol. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

None known.

Manufacturer Information

Clean Harbors Recycling Services of Ohio LLC

Phone: 1-740-929-3532

581 Milliken Drive SE

www.cleanharbors.com

Emergency # 1-800-645-8265

SDS ID: 89063

Hebron, OH 43025

Issue Date

November 16, 2021

Supersedes Issue Date

May 7, 2019

Original Issue Date

June 25, 2012

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 3

Acute Toxicity - Oral - Category 3

Acute Toxicity - Dermal - Category 3

Acute Toxicity - Inhalation - Vapor - Category 3

Germ Cell Mutagenicity - Category 2

Carcinogenicity - Category 1B

Specific Target Organ Toxicity - Single Exposure - Category 1 (retina , central nervous system , systemic toxicity)

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

Flammable liquid and vapor.

Toxic if swallowed, in contact with skin, or inhaled.

Suspected of causing genetic defects.

Material Name: METHYL ALCOHOL SDS ID: 89063

May cause cancer.

Causes damage to organs.

Precautionary Statement(s)

Prevention

Do not handle until all safety precautions have been read and understood. Keep container tightly closed. Keep away from heat/sparks/open flame/hot surfaces - No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Response

In case of fire: Use dry chemical, carbon dioxide, alcohol-resistant foam or water spray. If exposed: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent	
67-56-1	Methyl alcohol	75-100	
75-07-0	Acetaldehyde	0-<1	

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin

IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. Take off contaminated clothing and wash before reuse.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.

Most Important Symptoms/Effects

Acute

Toxic if swallowed. Toxic if inhaled. Toxic in contact with skin. Causes damage to organs.

Delayed

May cause cancer. Suspected of causing genetic defects.

Page 2 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Indication of any immediate medical attention and special treatment needed

IF exposed: Call a POISON CENTER or doctor/physician. Treat symptomatically and supportively. Treatment may vary with condition of victim and specifics of incident. Call 1-800-468-1760 for additional information.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use dry chemical, carbon dioxide, alcohol-resistant foam or water spray. Use water spray to cool fire fire-exposed containers. Water will not cool methanol below its flash point.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Flammable liquid and vapor. Vapors are heavier than air and may travel along the ground to some distant source of ignition and flash back. Product may be sensitive to static discharge, which could result in fire or explosion. Vapors may form explosive mixture with air. Fire may produce irritating, poisonous and/or corrosive fumes. Empty product containers may retain product residue and can be dangerous. Containers may rupture or explode.

Hazardous Combustion Products

Decomposition and combustion materials may be toxic. Burning may produce carbon dioxide, carbon monoxide, unidentified organic compounds.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Cool containers with water spray until well after the fire is out. Avoid inhalation of material or combustion by-products.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. A vapor suppressing foam may be used to reduce vapors. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, sparkproof tool into a sealable container for disposal. Additionally, for large spills: Water spray may reduce vapor, but may not prevent ignition in closed spaces. Dike far ahead of liquid spill for collection and later disposal.

Environmental Precautions

Avoid release to the environment. Biodegradable at low concentrations. Soluble in water. When released, this product is expected to evaporate. Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Page 3 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks, or flame. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean, sparkproof tools and explosion-proof equipment. When transferring product, metal containers, including trucks and tank cars, should be grounded and bonded. Do not breathe vapor or mist. Use in a well ventilated area. Avoid contact with eyes, skin, clothing, shoes. Do not smoke while using this product. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Keep container tightly closed. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Empty product containers may retain product residue and can be dangerous. Protect from sunlight. See SECTION 14:

TRANSPORTATION INFORMATION for Packing Group information.

Incompatible Materials

Acids, halocarbons, combustible materials, metals, oxidizing materials, halogens, metal carbide, bases, amines.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Methyl alcohol	67-56-1	
ACGIH:	200 ppm TWA; 250 ppm STEL Skin - potential significant contribution to overall exposure by the cutaneous route	
NIOSH:	200 ppm TWA; 260 mg/m3 TWA; 250 ppm STEL; 325 mg/m3 STEL Potential for dermal absorption; 6000 ppm IDLH	
OSHA (US):	200 ppm TWA ; 260 mg/m3 TWA	
Acetaldehyde	75-07-0	
ACGIH:	25 ppm Ceiling	
NIOSH:	2000 ppm IDLH	
OSHA (US):	200 ppm TWA ; 360 mg/m3 TWA	

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI) Methyl alcohol (67-56-1)

15 mg/l Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits. Where explosive mixtures may be present, equipment safe for such locations should be used. Ground/Bond container and receiving equipment.

Page 4 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Safety glasses with side shields should be worn at a minimum. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Contact lens use is not recommended.

Respiratory Protection

Use NIOSH air-certified, air-supplied respirators (self-contained breathing apparatus or air-line) respiratory protective equipment when concentration of methanol may exceed applicable exposure limits. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

Skin Protection/Glove Recommendations

Where skin contact is likely, wear impervious gloves. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, whole body suits, or other protective clothing.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colorless liquid	Physical State	Liquid
Odor	Solvent	Color	Clear, colorless
Odor Threshold	Not available	рН	Not available
Melting Point	Not available	Boiling Point	149 °C
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	11 °C [closed cup]
Lower Explosive Limit	6 % (methanol)	Decomposition temperature	Not available
Upper Explosive Limit	36.5 % (methanol)	Vapor Pressure	Not available
Vapor Density (air=1)	1.11	Specific Gravity (water=1)	0.79
Water Solubility	(complete)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	liquid	Molecular Weight	60.1

Page 5 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Will not polymerize under normal temperature and pressure conditions.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

Incompatible Materials

Acids, halocarbons, combustible materials, metals, oxidizing materials, halogens, metal carbide, bases, amines

Hazardous decomposition products

Decomposition products include carbon dioxide, carbon monoxide, and unidentified organic compounds. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Toxic if inhaled. May cause irritation, nausea, loss of appetite, headache, drowsiness, dizziness, disorientation, tremors, lung damage (from aspiration), confusion, convulsions, coma.

Skin Contact

Toxic in contact with skin. May cause skin irritation.

Eye Contact

May cause eye irritation.

Ingestion

Toxic if swallowed. May cause headache, drowsiness, dizziness, loss of coordination, blindness.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Methyl alcohol (67-56-1)

Oral LD50 Rat 6200 mg/kg; Dermal LD50 Rabbit 15840 mg/kg; Inhalation LC50 Rat 22500 ppm 8 h **Acetaldehyde (75-07-0)**

Oral LD50 Rat 660 mg/kg; Dermal LD50 Rabbit 3540 mg/kg; Inhalation LC50 Rat 13000 ppm 4 h

Product Toxicity Data

Acute Toxicity Estimate

Dermal	1980 mg/kg		
Inhalation - Vapor	17.8929 mg/L		
Oral	> 2000 mg/kg		

Immediate Effects

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Causes damage to organs. Causes eye damage, blindness, systemic toxicity, central nervous system damage.

Delayed Effects

May cause cancer. Suspected of causing genetic defects.

Irritation/Corrosivity Data

May cause eye and skin irritation.

Page 6 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

Acetaldehyde	75-07-0	
ACGIH:	A2 - Suspected Human Carcinogen	
IARC:	Monograph 100E [2012] (associated with consumption of alcoholic beverages) (Group 1 (carcinogenic to humans))	
IARC:	Monograph 71 [1999]; Supplement 7 [1987]; Monograph 36 [1985] (Group 2B (possibly carcinogenic to humans))	
NTP:	Reasonably Anticipated To Be A Human Carcinogen	
DFG:	Category 5 (low carcinogenic potency)	
OSHA:	Present	
NIOSH:	potential occupational carcinogen	

May cause cancer.

Germ Cell Mutagenicity

Suspected of causing genetic defects.

Tumorigenic Data

No information available for the product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

eyes, central nervous system and retina, systemic toxicity.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

Individuals with pre-existing respiratory tract (nose, throat, and lungs), cardiovascular, liver, kidney, central nervous system, eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

Additional Data

No additional information is available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

Methyl alcohol	67-56-1
	LC50 96 h Pimephales promelas 28200 mg/L [flow-through]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Oncorhynchus mykiss 19500 - 20700 mg/L

Page 7 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

	[flow-through]; LC50 96 h Oncorhynchus mykiss 18 - 20 mL/L [static]; LC50 96 h Lepomis macrochirus 13500 - 17600 mg/L [flow-through]	
Acetaldehyde	75-07-0	
Fish:	LC50 96 h Pimephales promelas 28 - 34 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 53 mg/L [static]; LC50 96 h Oncorhynchus mykiss 1.8 - 2.4 mg/L [static]; LC50 96 h Pimephales promelas 39.8 - 46.8 mg/L [static]	
Invertebrate:	EC50 48 h Daphnia magna 3.64 - 6.15 mg/L [Static] EPA ; EC50 48 h Daphnia magna 48.3 mg/L IUCLID	

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information is available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations. The responsibility for proper waste disposal lies with the owner of the waste. Processing, use, or contamination by the user may change the waste code(s) applicable to the disposal of this product. Regulations may also apply to empty containers. Contact Safety-Kleen regarding proper recycling or disposal.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: METHANOL

Hazard Class: 3 UN/NA #: UN1230 Packing Group: II Required Label(s): 3

IATA Information:

Shipping Name: METHANOL

Hazard Class: 3 UN#: UN1230 Packing Group: III Required Label(s): 3

ICAO Information:

Shipping Name: METHANOL

Hazard Class: 3 UN#: UN1230 Packing Group: III Required Label(s): 3

Page 8 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

IMDG Information:

Shipping Name: METHANOL

Hazard Class: 3 UN#: UN1230 Packing Group: III Required Label(s): 3

TDG Information:

Shipping Name: METHANOL

Hazard Class: 3 UN#: UN1230 Packing Group: III Required Label(s): 3

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Methyl alcohol	67-56-1		
IBC Code:	Category Y		

Further information

ERG 128; Reference: North American Emergency Response Guidebook

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Methyl alcohol	67-56-1	
SARA 313:	1 % de minimis concentration	
CERCLA:	5000 lb final RQ; 2270 kg final RQ	
Acetaldehyde	75-07-0	
SARA 313:	0.1 % de minimis concentration	
CERCLA:	1000 lb final RQ; 454 kg final RQ	
TSCA 12b:	Section 5, 0.1 % de minimis concentration	
OSHA (safety):	2500 lb TQ	

Chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

CAS-No.	Name	Percent by Weight
67-56-1	Methyl alcohol	75-100
75-07-0	Acetaldehyde	0-<1

Page 9 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Flammable; Carcinogenicity; Acute toxicity; Specific Target Organ Toxicity; Germ Cell Mutagenicity

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Methyl alcohol	67-56-1	Yes	Yes	Yes	Yes	Yes
Acetaldehyde	75-07-0	Yes	Yes	Yes	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

WARNING! This product can expose you to chemicals including Acetaldehyde, which is known to the State of California to cause cancer and Methyl alcohol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Methyl alcohol	67-56-1	
Repro/Dev. Tox	developmental toxicity, 3/16/2012	
Acetaldehyde	75-07-0	
Carc:	carcinogen , 4/1/1988	

Component Analysis - Inventory

Methyl alcohol (67-56-1)

US	CA	AU	CN	1 E	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2		
Yes	DSL	Yes	Ye	s E	IN	Yes	Yes		Yes	No		
KR - REACH CCA				MX	NZ	РН	TH- TECI	TW, CN	VN (Draft)	·		
Yes				Yes	Yes	Yes	Yes	Yes	Yes			

Acetaldehyde (75-07-0)

US	CA	AU	CN	I E	U	JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Ye	s E	IN	Yes	Yes		Yes	No
KR - REACH CCA				MX	NZ	РН	TH- TECI	TW, CN	VN (Draft)	
Yes				Yes	Yes	Yes	Yes	Yes	Yes	

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 3 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Preparation Date

Page 10 of 11 Rev. 11/21

Material Name: METHYL ALCOHOL SDS ID: 89063

Regulatory review and update. Addition to Section 15.

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TH-TECI - Thailand - FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Clean Harbors assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 11 of 11 Rev. 11/21